

Builder Kits, Bends, Tubing & Components

Mild Steel Header Builder Kits - V10, V8, and V6

Basic Kit						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-225-MS-1	1 1/2	Mild Steel	16g (.065")	2 1/4	Includes (8) 180 degree, (4) 90 Degree and (4) 45 Degree Bends. 16 BENDS TOTAL! <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> Combine order and save additional 10% on add-ons!	\$ 204.40
TU-HBK-1625-MS-1	1 5/8	Mild Steel	16g (.065")	2 1/2		\$ 206.40
TU-HBK-1750-MS-1	1 3/4	Mild Steel	16g (.065")	2 1/2		\$ 217.60
TU-HBK-1875-MS-1	1 7/8	Mild Steel	16g (.065")	3		\$ 221.60
TU-HBK-2000-MS-1	2	Mild Steel	16g (.065")	3		\$ 240.00
TU-HBK-2125-MS-1*	2 1/8	Mild Steel	16g (.065")	3		\$ 288.20
TU-HBK-2250-MS-1	2 1/4	Mild Steel	16g (.065")	3		\$ 288.20
TU-HBK-2500-MS-1	2 1/2	Mild Steel	16g (.065")	3 3/4		\$ 292.00
(Note for v10 builders: For complex systems you may want to add additional bends to the basic kit)						
Deluxe Kit						
Part Number	Tubing OD"	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-MS-2	1 1/2	Mild Steel	16g (.065")	2 1/4	Includes the basic kit with (10) 180 degree, (8) 90 Degree, and (8) 45 Degree bends 26 BENDS TOTAL! <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> Combine order and save additional 10% on add-ons!	\$ 330.80
TU-HBK-1625-MS-2	1 5/8	Mild Steel	16g (.065")	2 1/2		\$ 333.30
TU-HBK-1750-MS-2	1 3/4	Mild Steel	16g (.065")	2 1/2		\$ 351.20
TU-HBK-1875-MS-2	1 7/8	Mild Steel	16g (.065")	3		\$ 356.20
TU-HBK-2000-MS-2	2	Mild Steel	16g (.065")	3		\$ 381.00
TU-HBK-2125-MS-2*	2 1/8	Mild Steel	16g (.065")	3		\$ 468.40
TU-HBK-2250-MS-2	2 1/4	Mild Steel	16g (.065")	3		\$ 468.40
TU-HBK-2500-MS-2	2 1/2	Mild Steel	16g (.065")	3 3/4		\$ 476.00
* Availability limited.						

304 Stainless Steel Header Builder Kits - V10, V8, and V6

Basic SS Kit						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-225-SS-1	1 1/2	304 SS	16g (.065")	2 1/4	Includes (8) 180 degree, (4) 90 Degree and (4) 45 Degree Bends - 16 BENDS TOTAL! <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> Combine order and save additional 10% on add-ons!	\$ 313.80
TU-HBK-1625-SS-1	1 5/8	304 SS	16g (.065")	2 1/2		\$ 335.00
TU-HBK-1750-SS-1	1 3/4	304 SS	16g (.065")	2 1/2		\$ 367.40
TU-HBK-1875-SS-1	1 7/8	304 SS	16g (.065")	3		\$ 419.20
TU-HBK-2000-SS-1	2	304 SS	16g (.065")	3		\$ 459.20
TU-HBK-2125-SS-1*	2 1/8	304 SS	16g (.065")	3		\$ 531.20
TU-HBK-2250-SS-1	2 1/4	304 SS	16g (.065")	3		\$ 599.20
TU-HBK-2500-SS-1	2 1/2	304 SS	16g (.065")	3 3/4		\$ 599.20
(Note for v10 builders: For complex systems you may want to add additional bends to the basic kit)						
Deluxe SS Kit						
Part Number	Tubing OD"	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-225-SS-2	1 1/2	304 SS	16g (.065")	2 1/4	Includes the basic kit with (10) 180 degree, (8) 90 Degree, and (8) 45 Degree bends 26 BENDS TOTAL! <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> Combine order and save additional 10% on add-ons!	\$ 495.60
TU-HBK-1625-SS-2	1 5/8	304 SS	16g (.065")	2 1/2		\$ 526.00
TU-HBK-1750-SS-2	1 3/4	304 SS	16g (.065")	2 1/2		\$ 590.80
TU-HBK-1875-SS-2	1 7/8	304 SS	16g (.065")	3		\$ 682.40
TU-HBK-2000-SS-2	2	304 SS	16g (.065")	3		\$ 732.40
TU-HBK-2125-SS-2*	2 1/8	304 SS	16g (.065")	3		\$ 852.40
TU-HBK-2250-SS-2	2 1/4	304 SS	16g (.065")	3		\$ 946.40
TU-HBK-2500-SS-2	2 1/2	304 SS	16g (.065")	3 3/4		\$ 946.40
* Availability limited.						

DUAL TURBO Header Builder Kits - V10, V8, and V6

Mild Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-DTHBK-1625-MS-B	1 5/8	Mild Steel	16g (.065")	2 1/2	Includes (8) 180 degree U-Bends <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> (Complex systems/V10 you may want to add additional bends)	\$ 106.00
TU-DTHBK-1750-MS-B	1 3/4	Mild Steel	16g (.065")	2 1/2		\$ 112.00
TU-DTHBK-1875-MS-B	1 7/8	Mild Steel	16g (.065")	3		\$ 116.00
TU-DTHBK-2000-MS-B	2	Mild Steel	16g (.065")	3		\$ 132.00
304 Stainless Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-DTHBK-1625-SS-B	1 5/8	304 SS	16g (.065")	2 1/2	Includes (8) 180 degree U-Bends <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> (Complex systems/V10 you may want to add additional bends)	\$ 192.00
TU-DTHBK-1750-SS-B	1 3/4	304 SS	16g (.065")	2 1/2		\$ 192.00
TU-DTHBK-1875-SS-B	1 7/8	304 SS	16g (.065")	3		\$ 208.00
TU-DTHBK-2000-SS-B	2	304 SS	16g (.065")	3		\$ 248.00

Inline 4 Header Builder Kits

Mild Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-4HBK-1500-MS	1 1/2	Mild Steel	16g (.065")	2 1/4	Includes (4) 180 degree, (2) 90 Degree and (2) 45 Degree bends Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits	\$ 102.20
TU-4HBK-1625-MS	1 5/8	Mild Steel	16g (.065")	2 1/2		\$ 103.20
TU-4HBK-1750-MS	1 3/4	Mild Steel	16g (.065")	2 1/2		\$ 108.80
TU-4HBK-1875-MS	1 7/8	Mild Steel	16g (.065")	3		\$ 110.80
304 Stainless Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-4HBK-1500-SS	1 1/2	304 SS	16g (.065")	2 1/4	Includes (4) 180 degree, (2) 90 Degree and (2) 45 Degree bends Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits	\$ 156.90
TU-4HBK-1625-SS	1 5/8	304 SS	16g (.065")	2 1/2		\$ 167.50
TU-4HBK-1750-SS	1 3/4	304 SS	16g (.065")	2 1/2		\$ 183.70
TU-4HBK-1875-SS	1 7/8	304 SS	16g (.065")	3		\$ 209.60

Lakester and Line Fire Header Builder Kits - For V8, V6, and Flathead

Mild Steel - 16 gauge						
Part Number	Tubing OD"	Material	CLR	Cone Dimension	Description	Retail
TU-LBK-1500-MS	1 1/2	Mild Steel	2 1/4	1.5"x3.75"x28" - 18g	Includes (2) 90 degree bends, (3) 2 foot sections of straight tubing, and (2) cones. OR, personalize by using bends instead of tubing! Add-ons: Flanges, Block-Offs, Baffles Cones can be modified to other dimensions. Other cones can be substituted from stock list as a special order.	\$ 119.80
TU-LBK-1625-MS	1 5/8	Mild Steel	2 1/2	1.625"x4"x30" - 16g		\$ 124.08
TU-LBK-1750-MS	1 3/4	Mild Steel	2 1/2	*1.75"x4"x28.5" - 16g		\$ 126.08
TU-LBK-1875-MS	1 7/8	Mild Steel	3	*1.875x4x27- 16g		\$ 137.78
TU-LBK-2000-MS	2	Mild Steel	3	2"x4.50"x27" - 16g		\$ 135.78
*NOTE: After modification. Supplied cone is 1.625"x4"x30" - requires modification to match desired diameter from the stock cone dimension.						
304 Stainless Steel - 16 gauge						
Part Number	Tubing OD"	Material	CLR	Cone Dimension	Description	Retail
TU-LBK-1500-SS	1 1/2	Stainless Steel	2 1/4	1.5"x3.75"x28" - 20g	Includes (2) 90 degree bends, (3) 2 foot sections of straight tubing, and (2) cones. OR, personalize by using bends instead of tubing! Add-ons: Flanges, Block-Offs, Baffles Cones can be modified to other dimensions. Other cones can be substituted from stock list as a special order.	\$ 264.72
TU-LBK-1625-SS	1 5/8	Stainless Steel	2 1/2	*1.625"x3.75"x26.5" - 20g		\$ 266.22
TU-LBK-1750-SS	1 3/4	Stainless Steel	2 1/2	*1.75"x3.75"x25" - 20g		\$ 278.02
TU-LBK-1875-SS	1 7/8	Stainless Steel	3	*1.875"x3.75"x23.5" - 20g		\$ 295.92
TU-LBK-2000-SS	2	Stainless Steel	3	2"x4.5"x27" - 18g		\$ 352.24
*NOTE: After modification. Supplied cone is 1.50"x3.75"x28" - requires modification to match desired diameter from the stock cone dimension.						

Bends, Tubing, and Accessories

180 Degree Mandrel U-Bends

16 gauge Mild Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-UB16MS-125-180	1 1/4	16g	3	1.80"		\$ 12.65
TU-UB16MS-150-225	1 1/2	16g	3	2 1/4		\$ 13.00
TU-UB16MS-163-250	1 5/8	16g	3 1/4	2 1/2		\$ 13.25
TU-UB16MS-175-250	1 3/4	16g	3 1/2	2 1/2		\$ 14.00
TU-UB16MS-188-300	1 7/8	16g	4	3		\$ 14.50
TU-UB16MS-200-300	2	16g	4	3		\$ 16.50
TU-UB16MS-213-300*	2 1/8	16g	4	3		\$ 18.00
TU-UB16MS-225-300	2 1/4	16g	4	3		\$ 18.00
TU-UB16MS-250-375	2 1/2	16g	4	3 3/4		\$ 18.00
TU-UB16MS-300-400	3	16g	4	4		\$ 25.00
16 gauge 304 Stainless Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-UB16SS-125-180	1 1/4	16g	3	1.80"		\$ 18.15
TU-UB16SS-150-225	1 1/2	16g	3	2 1/4		\$ 22.00
TU-UB16SS-163-250	1 5/8	16g	3 1/4	2 1/2		\$ 24.00
TU-UB16SS-175-250	1 3/4	16g	3 1/2	2 1/2		\$ 24.00
TU-UB16SS-188-300	1 7/8	16g	4	3		\$ 26.00
TU-UB16SS-200-300	2	16g	4	3		\$ 31.00
TU-UB16SS-213-300*	2 1/8	16g	4	3		\$ 35.00
TU-UB16SS-225-300	2 1/4	16g	4	3		\$ 42.00
TU-UB16SS-250-375	2 1/2	16g	4	3 3/4		\$ 42.00
TU-UB16SS-300-600	3	16g	4	4		\$ 65.00
* Availability limited.						

90 Degree Mandrel Bends

16 gauge Mild Steel

Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-9016MS-125-180	1 1/4	16g	3	1.80"		\$ 11.00
TU-9016MS-150-225	1 1/2	16g	3	2 1/4		\$ 13.00
TU-9016MS-163-250	1 5/8	16g	3 1/4	2 1/2		\$ 13.00
TU-9016MS-175-250	1 3/4	16g	3 1/2	2 1/2		\$ 14.00
TU-9016MS-188-300	1 7/8	16g	4	3		\$ 14.00
TU-9016MS-200-300	2	16g	4	3		\$ 14.00
TU-9016MS-213-300*	2 1/8	16g	4	3		\$ 19.00
TU-9016MS-225-300	2 1/4	16g	4	3		\$ 19.00
TU-9016MS-250-375	2 1/2	16g	4	3 3/4		\$ 19.00
TU-9016MS-300-400	3	16g	4	4		\$ 22.00

16 gauge 304 Stainless Steel

Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-9016SS-125-180	1 1/4	16g	3	1.80"		\$ 17.50
TU-9016SS-150-225	1 1/2	16g	3	2 1/4		\$ 18.50
TU-9016SS-163-250	1 5/8	16g	3 1/4	2 1/2		\$ 19.25
TU-9016SS-175-250	1 3/4	16g	3 1/2	2 1/2		\$ 23.50
TU-9016SS-188-300	1 7/8	16g	4	3		\$ 27.50
TU-9016SS-200-300	2	16g	4	3		\$ 27.50
TU-9016SS-213-300*	2 1/8	16g	4	3		\$ 32.00
TU-9016SS-225-300	2 1/4	16g	4	3		\$ 35.00
TU-9016SS-250-375	2 1/2	16g	4	3 3/4		\$ 35.00
TU-9016SS-300-400	3	16g	4	4		\$ 45.00

* Availability limited.

45 Degree Mandrel Bends

16 gauge Mild Steel

Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-4516MS-125-180	1 1/4	16g	3	1.80"		\$ 10.25
TU-4516MS-150-225	1 1/2	16g	3	2 1/4		\$ 12.10
TU-4516MS-163-250	1 5/8	16g	3 1/4	2 1/2		\$ 12.10
TU-4516MS-175-250	1 3/4	16g	3 1/2	2 1/2		\$ 12.40
TU-4516MS-188-300	1 7/8	16g	4	3		\$ 12.40
TU-4516MS-200-300	2	16g	4	3		\$ 13.00
TU-4516MS-213-300*	2 1/8	16g	4	3		\$ 17.05
TU-4516MS-225-300	2 1/4	16g	4	3		\$ 17.05
TU-4516MS-250-375	2 1/2	16g	4	3 3/4		\$ 18.00
TU-4516MS-300-400	3	16g	4	4		\$ 19.00

16 gauge 304 Stainless Steel

Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-4516SS-125-180	1 1/4	16g	3	1.80"		\$ 15.95
TU-4516SS-150-225	1 1/2	16g	3	2 1/4		\$ 15.95
TU-4516SS-163-250	1 5/8	16g	3 1/4	2 1/2		\$ 16.50
TU-4516SS-175-300	1 3/4	16g	3 1/2	3		\$ 20.35
TU-4516SS-188-300	1 7/8	16g	4	3		\$ 25.30
TU-4516SS-200-300	2	16g	4	3		\$ 25.30
TU-4516SS-213-300*	2 1/8	16g	4	3		\$ 30.80
TU-4516SS-225-300	2 1/4	16g	4	3		\$ 30.80
TU-4516SS-250-375	2 1/2	16g	4	3 3/4		\$ 30.80
TU-4516SS-300-400	3	16g	4	4		\$ 38.50

* Availability limited.

STRAIGHT TUBING 16 GAUGE

16 gauge Mild Steel

Part Number	Tubing OD"	Length	Material	Wall Thickness	Description	Retail
TU-ST16MS-1250	1.25	2'	MS	16g	For general fabrication	\$ 12.10
TU-ST16MS-1375	1.375	2'	MS	16g	For general fabrication	\$ 12.10
TU-ST16MS-1500	1.5	2'	MS	16g	For general fabrication	\$ 12.60
TU-ST16MS-1625	1.625	2'	MS	16g	For general fabrication	\$ 12.60
TU-ST16MS-1750	1.75	2'	MS	16g	For general fabrication	\$ 12.60
TU-ST16MS-1875	1.875	2'	MS	16g	For general fabrication	\$ 16.50
TU-ST16MS-2000	2	2'	MS	16g	For general fabrication	\$ 16.50
TU-ST16MS-2125*	2.125	2'	MS	16g	For general fabrication	\$ 16.50
TU-ST16MS-2250	2.25	2'	MS	16g	For general fabrication	\$ 16.50
TU-ST16MS-2500	2.5	2'	MS	16g	For general fabrication	\$ 17.60
TU-ST16MS-2750	2.75	2'	MS	16g	For general fabrication	\$ 18.70
TU-ST16MS-3000	3	2'	MS	16g	For general fabrication	\$ 18.70
TU-ST16MS-3500	3.5	2'	MS	16g	For general fabrication	\$ 22.00
TU-ST16MS-4000*	4	2'	MS	16g	For general fabrication	\$ 24.00
TU-ST16MS-4500*	4.5	2'	MS	16g	For general fabrication	\$ 34.00
TU-ST16MS-5000*	5	2'	MS	16g	For general fabrication	\$ 37.00

16 gauge 304 Stainless Steel

Part Number	Tubing OD"	Length	Material	Wall Thickness	Description	Retail
TU-ST16SS-1250	1.25	2'	SS	16g	For general fabrication	\$ 22.00
TU-ST16SS-1375	1.375	2'	SS	16g	For general fabrication	\$ 22.00
TU-ST16SS-1500	1.5	2'	SS	16g	For general fabrication	\$ 22.00
TU-ST16SS-1625	1.625	2'	SS	16g	For general fabrication	\$ 22.00
TU-ST16SS-1750	1.75	2'	SS	16g	For general fabrication	\$ 23.10
TU-ST16SS-1875	1.875	2'	SS	16g	For general fabrication	\$ 26.40
TU-ST16SS-2000	2	2'	SS	16g	For general fabrication	\$ 26.40
TU-ST16SS-2125*	2.125	2'	SS	16g	For general fabrication	\$ 28.60
TU-ST16SS-2250	2.25	2'	SS	16g	For general fabrication	\$ 28.60
TU-ST16SS-2500	2.5	2'	SS	16g	For general fabrication	\$ 30.80
TU-ST16SS-3000	3	2'	SS	16g	For general fabrication	\$ 33.00
TU-ST16MS-3500	3.5	2'	SS	16g	For general fabrication	\$ 40.00
TU-ST16SS-4000*	4	2'	SS	16g	For general fabrication	\$ 45.00
TU-ST16SS-4500*	4.5	2'	SS	16g	For general fabrication	N/A
TU-ST16SS-5000*	5	2'	SS	16g	For general fabrication	\$ 80.00

* Limited Availability

STRAIGHT TUBING 18 GAUGE

18 gauge Mild Steel*

Part Number	Tubing OD"	Length	Material	Slip fit for	Description	Retail
TU-ST18MS-1250	1.25	12"	MS	1.125	Slip-Fit Collector 1.125" primary to 1.25" collector	\$ 6.05
TU-ST18MS-1375	1.375	12"	MS	1.25	Slip-Fit Collector 1.25" primary to 1.375" collector	\$ 6.05
TU-ST18MS-1500	1.5	12"	MS	1.375	Slip-Fit Collector 1.375" primary to 1.50" collector	\$ 6.05
TU-ST18MS-1625	1.625	12"	MS	1.5	Slip-Fit Collector 1.50" primary to 1.625" collector	\$ 6.05
TU-ST18MS-1750	1.75	12"	MS	1.625	Slip-Fit Collector 1.625" primary to 1.75" collector	\$ 6.05
TU-ST18MS-1875	1.875	12"	MS	1.75	Slip-Fit Collector 1.75" primary to 1.875" collector	\$ 8.25
TU-ST18MS-2000	2	12"	MS	1.875	Slip-Fit Collector 1.875" primary to 2.00" collector	\$ 8.25

18 gauge 304 Stainless Steel*

Part Number	Tubing OD"	Length	Material	Slip fit for	Description	Retail
TU-ST18SS-1250	1.25	12"	SS	1.125	Slip-Fit Collector 1.125" primary to 1.25" collector	\$ 11.00
TU-ST18SS-1375	1.375	12"	SS	1.25	Slip-Fit Collector 1.25" primary to 1.375" collector	\$ 11.00
TU-ST18SS-1500	1.5	12"	SS	1.375	Slip-Fit Collector 1.375" primary to 1.50" collector	\$ 11.00
TU-ST18SS-1625	1.625	12"	SS	1.5	Slip-Fit Collector 1.50" primary to 1.625" collector	\$ 11.00
TU-ST18SS-1750	1.75	12"	SS	1.625	Slip-Fit Collector 1.625" primary to 1.75" collector	\$ 11.55
TU-ST18SS-1875	1.875	12"	SS	1.75	Slip-Fit Collector 1.75" primary to 1.875" collector	\$ 14.00
TU-ST18SS-2000	2	12"	SS	1.875	Slip-Fit Collector 1.875" primary to 2.00" collector	\$ 14.00

* Limited Availability

SLIP-FIT COLLECTOR: PRE-SIZED SLIP COUPLINGS

Mild Steel						
Part Number	Tubing OD"	Length	Material	Fits header diameter	Description	Retail
CN-CLSC-2125-MS	2.125	2"	MS	2"	Slip-Fit Collector 2.00" primary to fit 2.125" collector	\$ 1.75
CN-CLSC-2250-MS	2.25	2"	MS	2 1/8"	Slip-Fit Collector 2.125" primary to fit 2.25" collector	\$ 1.75
CN-CLSC-2375-MS	2.375	2"	MS	2 1/4"	Slip-Fit Collector 2.25" primary to fit 2.375" collector	\$ 1.75
CN-CLSC-2500-MS	2.5	2"	MS	2 3/8"	Slip-Fit Collector 2.375" primary to fit 2.50" collector	\$ 1.85
CN-CLSC-2625-MS	2.625	2"	MS	2 1/2"	Slip-Fit Collector 2.50" primary to fit 2.625" collector	\$ 1.85

304 Stainless Steel						
Part Number	Tubing OD"	Length	Material	Fits header diameter	Description	Retail
CN-CLSC-2125-SS	2.125	2"	SS	2"	Slip-Fit Collector 2.00" primary to fit 2.125" collector	\$ 3.00
CN-CLSC-2250-SS	2.25	2"	SS	2 1/8"	Slip-Fit Collector 2.125" primary to fit 2.25" collector	\$ 3.00
CN-CLSC-2375-SS	2.375	2"	SS	2 1/4"	Slip-Fit Collector 2.25" primary to fit 2.375" collector	\$ 3.00
CN-CLSC-2500-SS	2.5	2"	SS	2 3/8"	Slip-Fit Collector 2.375" primary to fit 2.50" collector	\$ 3.15
CN-CLSC-2625-SS	2.625	2"	SS	2 1/2"	Slip-Fit Collector 2.50" primary to fit 2.625" collector	\$ 3.25

PRE-FORMED TURBO TRANSITIONS

16 gauge Mild Steel						
Part Number	Tubing OD"	Dimension	Material	Wall Thickness	Description	Retail
TU-TT-200-T3-MS	2	1.75" x 2.25"	MS	16g	Transition from 2" tube to inside center rectangular T3 flange	\$ 16.49
TU-TT-250-T3-MS	2.5	1.75" x 2.25"	MS	16g	Transition from 2.50" tube to outside center rectangular T3 flange	\$ 21.99
TU-TT-250-T4-MS	2.5	2.0" x 3.0"	MS	16g	Transition from 2.50" tube to inside center rectangular T4 flange	\$ 21.99
TU-TT-300-T4-MS	3	2.0" x 3.0"	MS	16g	Transition from 3.0" tube to outside center rectangular T4 flange	\$ 21.99

16 gauge 304 Stainless Steel						
Part Number	Tubing OD"	Dimension	Material	Wall Thickness	Description	Retail
TU-TT-200-T3-SS	2	1.75" x 2.25"	SS	16g	Transition from 2" tube to rectangular T3 flange	\$ 27.49
TU-TT-250-T3-SS	2.5	1.75" x 2.25"	SS	16g	Transition from 2.50" tube to rectangular T3 flange	\$ 32.99
TU-TT-250-T4-SS	2.5	2.0" x 3.0"	SS	16g	Transition from 2.50" tube to inside center rectangular T4 flange	\$ 32.99
TU-TT-300-T4-SS	3	2.0" x 3.0"	SS	16g	Transition from 3.0" tube to outside center rectangular T4 flange	\$ 32.99

THREADED BUNGS

Mild Steel						
Part Number			Material		Description	Retail
TU-O2-MS			MS		Mild Steel O2 sensor bung (M18 x 1.5 thread)	\$ 7.70
TU-EGT-MS			MS		Mild Steel EGT sensor bung (1/8" NPT)	\$ 7.70

304 Stainless Steel						
Part Number			Material		Description	Retail
TU-O2-SS*			SS		Stainless Steel O2 sensor bung (M18 x 1.5 thread)	\$ 13.20
TU-EGT-SS*			SS		Stainless Steel EGT sensor bung (1/8" NPT)	\$ 13.20

* Limited Availability - Recommended substitute MS with nickel plate

**CALL (714) 828-3580 or (800) 795-5535
FOR WHOLESALE PRICING**